

Elaine Briere - MVLWB

From: Tyree Mullaney [tyree@mvlwb.com]
Sent: Tuesday, March 09, 2010 9:25 AM
To: permits@mvlwb.com
Subject: FW: Hamlet of Enterprise Water Licence MV2008L3-0004 Part D, Item 14
Attachments: 2003 1020 letter to MVLWB Feb 19, 2010.pdf

Please post

-----Original Message-----

From: Tyree Mullaney [mailto:tyree@mvlwb.com]
Sent: March-09-10 9:24 AM
To: 'Wayne Starling'
Cc: 'Ron Kent'
Subject: Hamlet of Enterprise Water Licence MV2008L3-0004 Part D, Item 14

Good Morning Wayne,

As discussed Enterprise has no intention of using condition Part D: Item 14 at this time (please see attached letter). But if the need arises the condition is in place for use. As discussed, compliance with the term was raised as they are not going to use it and this is just to clarify that they will not be in noncompliance with the T and C of the WL? If you could confirm this for me it would be great.

Have a great day.

Tyree Mullaney
Regulatory Officer
Mackenzie Valley Land and Water Board
7th Floor, 4922 48th St, PO Box 2130 | Yellowknife, NT | X1A 2P6 ph
867.766.7471/867.669.0506 | fax 867.873.6610 tyree@mvlwb.com | www.mvlwb.com

-----Original Message-----

From: Ron Kent [mailto:Ron@fsc.ca]
Sent: February-22-10 2:49 PM
To: tyree@mvlwb.com
Cc: sao_enterprise@airware.ca
Subject: Hamlet of Enterprise Water Licence MV2008L3-0004 Part D, Item 14

20100100

Tyree, please find a letter attached requesting an amendment or an addendum to the present water licence to address Part D, Item 14.

If you have any questions of a technical nature please contact me.

Regards

Ron Kent, P. Eng.
Environmental Engineering
FSC Architects & Engineers

4910 53rd Street, P. O. Box 1777
Yellowknife, NWT X1A 2P4
Tel: (867) 920-2882 ext 226
Fax: (867) 920-4319
website: <http://www.fsc.ca>

FSC File: 20100100

February 22, 2010

Mackenzie Valley Land and Water Board
7th Floor - 4810 50th Avenue
P.O. Box 2130
Yellowknife, NT
X1A 2P6

Attn: Tyree Mullaney

Re: Hamlet of Enterprise Water Licence MV2008L3-0004 Part D, Item 14

Dear Ms. Mullaney

The Hamlet of Enterprise has retained the services of FSC to create and submit some of the reports and documents required by the water licence.

On August 27, 2009 the MVLWB issued Water Licence MV2008L3-0004 to the Hamlet of Enterprise. Part D: Item 14 reads:

“The Licensee shall maintain a Temporary Hazardous Waste Containment Facility to the satisfaction of the Water Licence Inspector.”

When the Hamlet of Enterprise applied for their water licence they indicated that no hazardous wastes were accepted at the Solid Waste Facility and no hazardous wastes are stored at the Solid Waste Facility. This practice remains.

Creating a temporary Hazardous Waste Containment Facility would not be in the best Interests of the Hamlet of Enterprise and would be contradictory to the Management Plan of their Solid Waste Facility. Further, the Hamlet is not prepared to build nor operate such a facility.

On behalf of my client, the Hamlet of Enterprise requests that the MVLWB amend or provide an addendum to the above-mentioned licence to remove Part D, item 14.

If you have any questions please feel free to contact me.

Sincerely,

FSC ARCHITECTS & ENGINEERS



Ron Kent, P.Eng.
Environmental Engineering.

Cc: Scotty Edgerton, SAO, Hamlet of Enterprise.