

## Elaine Briere - MVLWB

---

**From:** Tyree Mullaney [tyree@mvlwb.com]  
**Sent:** Tuesday, March 09, 2010 11:43 AM  
**To:** permits@mvlwb.com  
**Subject:** FW: Hamlet of Enterprise Water Licence MV2008L3-0004 Part D, Item 14

Please post to the registry

-----Original Message-----

**From:** Wayne Starling [mailto:Wayne.Starling@inac-ainc.gc.ca]  
**Sent:** March-09-10 11:32 AM  
**To:** Tyree Mullaney  
**Subject:** Re: Hamlet of Enterprise Water Licence MV2008L3-0004 Part D, Item 14

Hi Tyree:

Thank you for the email and letter from FSC on behalf of the Hamlet of Enterprise. I concur with your position that the Hamlet will not be in violation of their Water Licence should they choose not to construct or operate a Temporary Hazardous Waste Containment Facility. I do not believe it was the intent of this condition to force the Hamlet into accepting and handling Hazardous Wastes if they were not prepared to do so, but if they were to construct such a facility it would need to be maintained to the satisfaction of an Inspector. This is to confirm that the Hamlet will not be in contravention of Part D Item 14 if they choose not to accept Hazardous Wastes.

If there are any further questions related to this matter please contact me at any time.

Sincerely,

Wayne B. Starling  
Inspector  
NWT Waters Act

>>> "Tyree Mullaney" <[tyree@mvlwb.com](mailto:tyree@mvlwb.com)> 09/03/2010 9:24 am >>>  
Good Morning Wayne,

As discussed Enterprise has no intention of using condition Part D: Item 14 at this time (please see attached letter). But if the need arises the condition is in place for use. As discussed, compliance with the term was raised as they are not going to use it and this is just to clarify that they will not be in noncompliance with the T and C of the WL? If you could confirm this for me it would be great.

Have a great day.

Tyree Mullaney  
Regulatory Officer  
Mackenzie Valley Land and Water Board  
7th Floor, 4922 48th St, PO Box 2130 | Yellowknife, NT | X1A 2P6 ph  
867.766.7471/867.669.0506 | fax 867.873.6610 [tyree@mvlwb.com](mailto:tyree@mvlwb.com) | [www.mvlwb.com](http://www.mvlwb.com)

-----Original Message-----

**From:** Ron Kent [mailto:Ron@fsc.ca]  
**Sent:** February-22-10 2:49 PM

To: tyree@mvlwb.com  
Cc: sao\_enterprise@airware.ca  
Subject: Hamlet of Enterprise Water Licence MV2008L3-0004 Part D, Item 14

20100100

Tyree, please find a letter attached requesting an amendment or an addendum to the present water licence to address Part D, Item 14.

If you have any questions of a technical nature please contact me.

Regards

Ron Kent, P. Eng.  
Environmental Engineering  
FSC Architects & Engineers  
4910 53rd Street, P. O. Box 1777  
Yellowknife, NWT X1A 2P4  
Tel: (867) 920-2882 ext 226  
Fax: (867) 920-4319  
website: <http://www.fsc.ca>